

# **The FreeRTOS™ Reference Manual**

**API Functions and Configuration Options**

Richard Barry

Version 1.2.1.

All text, source code and diagrams are the exclusive property of Real Time Engineers Ltd. Distribution, use in presentations, or publication in any form is strictly prohibited without prior written authority from Real Time Engineers Ltd.

© Real Time Engineers Ltd. 2011. All rights reserved.

FreeRTOS™, FreeRTOS.org™ and the FreeRTOS logo are trademarks of Real Time Engineers Ltd.

<http://www.FreeRTOS.org>

# Contents

Contents .....	1
List of Figures .....	3
List of Code Listings .....	4
List of Tables .....	7
List of Notation.....	7
Chapter 1 About This Manual.....	9
1.1 Scope.....	10
Chapter 2 Task and Scheduler API.....	13
2.1 portSWITCH_TO_USER_MODE() .....	14
2.2 xTaskAllocateMPURegions() .....	15
2.3 xTaskCallApplicationHook() .....	18
2.4 xTaskCreate() .....	20
2.5 xTaskCreateRestricted() .....	24
2.6 vTaskDelay().....	29
2.7 vTaskDelayUntil().....	31
2.8 vTaskDelete().....	33
2.9 taskDISABLE_INTERRUPTS() .....	35
2.10 taskENABLE_INTERRUPTS() .....	37
2.11 vTaskEndScheduler().....	38
2.12 ulTaskEndTrace() .....	39
2.13 taskENTER_CRITICAL().....	40
2.14 taskEXIT_CRITICAL().....	43
2.15 xTaskGetApplicationTaskTag() .....	45
2.16 xTaskGetCurrentTaskHandle().....	47
2.17 uxTaskGetHighWaterMark().....	48
2.18 xTaskGetIdleTaskHandle().....	50
2.19 uxTaskGetNumberOfTasks() .....	51
2.20 vTaskGetRunTimeStats().....	52
2.21 xTaskGetSchedulerState().....	56
2.22 pcTaskGetTaskName() .....	57
2.23 xTaskGetTickCount() .....	58
2.24 xTaskGetTickCountFromISR() .....	60
2.25 xTaskIsTaskSuspended().....	62
2.26 vTaskList() .....	63
2.27 uxTaskPriorityGet() .....	66
2.28 vTaskPrioritySet().....	68
2.29 vTaskResume().....	70

2.30	xTaskResumeAll()	72
2.31	xTaskResumeFromISR()	74
2.32	vTaskSetApplicationTaskTag()	77
2.33	vTaskStartScheduler()	79
2.34	vTaskSuspend()	81
2.35	vTaskSuspendAll()	83
2.36	taskYIELD()	85
Chapter 3	Queue API	89
3.1	vQueueAddToRegistry()	90
3.2	xQueueCreate()	92
3.3	vQueueDelete()	94
3.4	xQueueIsQueueEmptyFromISR()	96
3.5	xQueueIsQueueFullFromISR()	97
3.6	uxQueueMessagesWaiting()	98
3.7	uxQueueMessagesWaitingFromISR()	99
3.8	xQueuePeek()	101
3.9	xQueueReceive()	104
3.10	xQueueReceiveFromISR()	107
3.11	xQueueSend(), xQueueSendToFront(), xQueueSendToBack()	110
3.12	xQueueSendFromISR(), xQueueSendToFrontFromISR(), xQueueSendToBackFromISR()	113
Chapter 4	Semaphore API	119
4.1	vSemaphoreCreateBinary()	120
4.2	xSemaphoreCreateCounting()	122
4.3	xSemaphoreCreateMutex()	124
4.4	xSemaphoreCreateRecursiveMutex()	126
4.5	vSemaphoreDelete()	128
4.6	xSemaphoreGive()	129
4.7	xSemaphoreGiveFromISR()	131
4.8	xSemaphoreGiveRecursive()	134
4.9	xSemaphoreTake()	137
4.10	xSemaphoreTakeRecursive()	140
Chapter 5	Software Timer API	144
5.1	xTimerChangePeriod()	145
5.2	xTimerChangePeriodFromISR()	148
5.3	xTimerCreate()	150
5.4	xTimerDelete()	154
5.1	xTimerGetTimerDaemonTaskHandle()	156
5.2	pvTimerGetTimerID()	157
5.3	xTimerIsTimerActive()	158
5.4	xTimerReset()	160
5.5	xTimerResetFromISR()	163

5.6	xTimerStart()	165
5.7	xTimerStartFromISR()	167
5.8	xTimerStop()	169
5.9	xTimerStopFromISR()	171
Chapter 6 Kernel Configuration		173
6.1	FreeRTOSConfig.h	174
6.2	Constants that Start "INCLUDE_"	175
6.3	Constants that Start "config"	178
APPENDIX 1: Data Types and Coding Style Guide		193
APPENDIX 2: Licensing Information		196
INDEX		200

## List of Figures

---

Figure 1	An example of the table produced by calling vTaskGetRunTimeStats()	52
Figure 2	An example of the table produced by calling vTaskList()	63
Figure 3	Time line showing the execution of 4 tasks, all of which run at the idle priority	182
Figure 4	An example interrupt priority configuration	184

## List of Code Listings

Listing 1	portSWITCH_TO_USER_MODE() macro prototype	14
Listing 2	vTaskAllocateMPURegions() function prototype	15
Listing 3	The data structures used by xTaskCreateRestricted()	16
Listing 4	Example use of xTaskCallApplicationTaskHook()	17
Listing 5	xTaskCallApplicationTaskHook() function prototype	18
Listing 6	The prototype to which all task hook functions must conform	18
Listing 7	Example use of xTaskCallApplicationTaskHook()	19
Listing 8	xTaskCreate() function prototype	20
Listing 9	Example use of xTaskCreate()	23
Listing 10	xTaskCreateRestricted() function prototype	24
Listing 11	The data structures used by xTaskCreateRestricted()	25
Listing 12	Statically declaring a correctly aligned stack for use by a restricted task	26
Listing 13	Example use of xTaskCreateRestricted()	28
Listing 14	vTaskDelay() function prototype	29
Listing 15	Example use of vTaskDelay()	30
Listing 16	vTaskDelayUntil() function prototype	31
Listing 17	Example use of vTaskDelayUntil()	32
Listing 18	vTaskDelete() function prototype	33
Listing 19	Example use of the vTaskDelete()	34
Listing 20	taskDISABLE_INTERRUPTS() macro prototype	35
Listing 21	taskENABLE_INTERRUPTS() macro prototype	37
Listing 22	vTaskEndScheduler() function prototype	38
Listing 23	ulTaskEndTrace() function prototype	39
Listing 24	taskENTER_CRITICAL macro prototype	40
Listing 25	Example use of taskENTER_CRITICAL() and taskEXIT_CRITICAL()	42
Listing 26	taskEXIT_CRITICAL() macro prototype	43
Listing 27	xTaskGetApplicationTaskTag() function prototype	45
Listing 28	Example use of xTaskGetApplicationTaskTag()	46
Listing 29	xTaskGetCurrentTaskHandle() function prototype	47
Listing 30	Example use of uxTaskGetStackHighWaterMark()	49
Listing 31	xTaskGetIdleTaskHandle() function prototype	50
Listing 32	uxTaskGetNumberOfTasks() function prototype	51
Listing 33	vTaskGetRunTimeStats() function prototype	52
Listing 34	Example macro definitions, taken from the LM3Sxxx Eclipse Demo	54
Listing 35	Example macro definitions, taken from the LPC17xx Eclipse Demo	54
Listing 36	Example use of vTaskGetRunTimeStats()	55
Listing 37	xTaskGetSchedulerState() function prototype	56
Listing 38	pcTaskGetTaskName() function prototype	57
Listing 39	xTaskGetTickCount() function prototype	58
Listing 40	Example use of xTaskGetTickCount()	59

Listing 41	xTaskGetTickCountFromISR() function prototype.....	60
Listing 42	Example use of xTaskGetTickCountFromISR() .....	61
Listing 43	xTaskIsTaskSuspended() function prototype .....	62
Listing 44	vTaskList() function prototype.....	63
Listing 45	Example use of vTaskList().....	65
Listing 46	uxTaskPriorityGet() function prototype.....	66
Listing 47	Example use of uxTaskPriorityGet() .....	67
Listing 48	vTaskPrioritySet() function prototype .....	68
Listing 49	Example use of vTaskPrioritySet().....	69
Listing 50	vTaskResume() function prototype .....	70
Listing 51	Example use of vTaskResume().....	71
Listing 52	xTaskResumeAll() function prototype .....	72
Listing 53	Example use of xTaskResumeAll() .....	73
Listing 54	xTaskResumeFromISR() function prototype .....	74
Listing 55	Example use of vTaskResumeFromISR().....	76
Listing 56	vTaskSetApplicationTaskTag() function prototype .....	77
Listing 57	Example use of vTaskSetApplicationTaskTag().....	78
Listing 58	vTaskStartScheduler() function prototype .....	79
Listing 59	Example use of vTaskStartScheduler().....	80
Listing 60	vTaskSuspend() function prototype .....	81
Listing 61	Example use of vTaskSuspend() .....	82
Listing 62	vTaskSuspendAll() function prototype.....	83
Listing 63	Example use of vTaskSuspendAll() .....	84
Listing 64	taskYIELD() macro prototype.....	85
Listing 65	Example use of taskYIELD().....	86
Listing 66	vQueueAddToRegistry() function prototype .....	90
Listing 67	Example use of vQueueAddToRegistry().....	91
Listing 68	xQueueCreate() function prototype.....	92
Listing 69	Example use of xQueueCreate().....	93
Listing 70	vQueueDelete() function prototype .....	94
Listing 71	Example use of vQueueDelete().....	95
Listing 72	xQueueIsQueueEmptyFromISR() function prototype .....	96
Listing 73	xQueueIsQueueFullFromISR() function prototype .....	97
Listing 74	uxQueueMessagesWaiting() function prototype.....	98
Listing 75	Example use of uxQueueMessagesWaiting() .....	98
Listing 76	uxQueueMessagesWaitingFromISR() function prototype.....	99
Listing 77	Example use of uxQueueMessagesWaitingFromISR() .....	100
Listing 78	xQueuePeek() function prototype .....	101
Listing 79	Example use of xQueuePeek() .....	103
Listing 80	xQueueReceive() function prototype.....	104
Listing 81	Example use of xQueueReceive() .....	106
Listing 82	xQueueReceiveFromISR() function prototype.....	107
Listing 83	Example use of xQueueReceiveFromISR() .....	109

Listing 84 xQueueSend(), xQueueSendToFront() and xQueueSendToBack() function prototypes .....	110
Listing 85 Example use of xQueueSendToBack() .....	112
Listing 86 xQueueSendFromISR(), xQueueSendToBackFromISR() and xQueueSendToFrontFromISR() function prototypes .....	113
Listing 87 Example use of xQueueSendToBackFromISR() .....	116
Listing 88 vSemaphoreCreateBinary() macro prototype .....	120
Listing 89 Example use of vSemaphoreCreateBinary() .....	121
Listing 90 xSemaphoreCreateCounting() function prototype .....	122
Listing 91 Example use of xSemaphoreCreateCounting() .....	123
Listing 92 xSemaphoreCreateMutex() function prototype .....	124
Listing 93 Example use of xSemaphoreCreateMutex().....	125
Listing 94 xSemaphoreCreateRecursiveMutex() function prototype .....	126
Listing 95 Example use of xSemaphoreCreateRecursiveMutex().....	127
Listing 96 vSemaphoreDelete() function prototype .....	128
Listing 97 xSemaphoreGive() function prototype .....	129
Listing 98 Example use of xSemaphoreGive().....	130
Listing 99 xSemaphoreGiveFromISR() function prototype.....	131
Listing 100 Example use of xSemaphoreGiveFromISR() .....	133
Listing 101 xSemaphoreGiveRecursive() function prototype .....	134
Listing 102 Example use of xSemaphoreGiveRecursive().....	136
Listing 103 xSemaphoreTake() function prototype .....	137
Listing 104 Example use of xSemaphoreTake().....	139
Listing 105 xSemaphoreTakeRecursive() function prototype.....	140
Listing 106 Example use of xSemaphoreTakeRecursive() .....	142
Listing 107 xTimerChangePeriod() function prototype.....	145
Listing 108 Example use of xTimerChangePeriod() .....	147
Listing 109 xTimerChangePeriodFromISR() function prototype.....	148
Listing 110 Example use of xTimerChangePeriodFromISR() .....	149
Listing 111 xTimerCreate() function prototype.....	150
Listing 112 The timer callback function prototype.....	151
Listing 113 Definition of the callback function used in the calls to xTimerCreate() in Listing 114 .....	152
Listing 114 Example use of xTimerCreate() .....	153
Listing 115 xTimerDelete() macro prototype.....	154
Listing 116 xTimerGetTimerDaemonTaskHandle() function prototype .....	156
Listing 117 pvTimerGetTimerID() function prototype .....	157
Listing 118 xTimerIsTimerActive() function prototype .....	158
Listing 119 Example use of xTimerIsTimerActive().....	159
Listing 120 xTimerReset() function prototype .....	160
Listing 121 Example use of xTimerReset().....	162
Listing 122 xTimerResetFromISR() function prototype .....	163
Listing 123 Example use of xTimerResetFromISR().....	164
Listing 124 xTimerStart() function prototype .....	165

Listing 125 xTimerStartFromISR() macro prototype .....	167
Listing 126 Example use of xTimerStartFromISR() .....	168
Listing 127 xTimerStop() function prototype .....	169
Listing 128 xTimerStopFromISR() function prototype .....	171
Listing 129 Example use of xTimerStopFromISR() .....	172
Listing 130 An example configASSERT() definition .....	178
Listing 131 The stack overflow hook function prototype .....	179
Listing 132 The idle task hook function name and prototype .....	189
Listing 133 The malloc() failed hook function name and prototype .....	189
Listing 134 The tick hook function name and prototype .....	190

## List of Tables

---

Table 1. Additional macros that are required if .....	181
Table 2. Special data types used by FreeRTOS .....	193
Table 3. Macro prefixes .....	195
Table 4. Common macro definitions .....	195
Table 5. Comparing the open source license with the commercial license .....	197

## List of Notation

---

API	Application Programming Interface
ISR	Interrupt Service Routine
MPU	Memory Protection Unit
RTOS	Real-time Operating System